


PROJECT: _____
 LOCATION: _____
 APPROVE BY: _____ DATE: _____
 DESCRIPTION: _____ PRODUCT ATTRIBUTES: _____



APPLICATION: Residential & Commercial
 MATERIAL: Stainless Steel
 MATERIAL SPEC: 14ga, AISI304 (*316L)
 PIPE SIZE: 2-3/8" O.D.
 BODY TYPE: 'V'-Shape Bottom
 CERTIFICATION: ASME A 112.18.2
 CERTIFICATION: CSA B 125.2
 MODEL SERIES: DUFR-TF


FINISH

- PSS:** Polished Stainless Steel (EXCLUDE TIL)
- BSS:** Brushed Stainless Steel
- BP:** Black Powder Coated (EXCLUDE TIL)

OPTIONS


- *HZ:** HORIZONTAL SIDE OUTLET
- *SOR:** SINGLE OFFSET OUTLET- _____ " FOR THE (R)IGHT OUTSIDE EDGE OF CHANNEL
- *SOL:** SINGLE OFFSET OUTLET- _____ " FOR THE (L)EFT OUTSIDE EDGE OF CHANNEL
- *DOL:** DOWEL OFFSET OUTLET- R _____ " FOR RIGHT EDGE & L _____ " FOR LEFT EDGE OF THE CHANNEL
- *316:** AISI316L STAINLESS STEEL

TOP VIEW



SIDE VIEW

MODEL SPECIFICATION: DUFR-TFY- _____ - _____ x _____ - _____ *



NOTE: DUFR Series custom drains are annotated with (c) after the series mark. i.e DUFRc

MODEL No.	LENGTH [A]	WIDTH [B]	CHANNEL WIDTH [C]	WIDTH [D]	OFFSET [E1]	OFFSET [E2]	OUTLET-Ø [G]	QTY.	GRATING:
<input type="checkbox"/> PNDUFR-TFY (Wall Tile Ready - Three Side Return Flange) *Ideal for wall to wall installation with 1/8" to 3/8" thick wall tiles*			2-9/16" [65.00]				2-3/8" [60.00]		<input type="checkbox"/> WW - "WEDGEWIRE" <input type="checkbox"/> TIL - "TILE-IN TRAY" <input type="checkbox"/> SPG - "SQUARE"

PATENT PENDING

